

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	f near drive same network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 19:27
L2	1	"20020133494"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 19:27
S1	4145	file near3 access\$4 and (simultaneous or concurrent or contemporaneous) and version	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 12:42
S2	39134	(client or file or user) near4 group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 12:43
S3	218047	server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 12:43
S4	1447	S1 and S2 and S3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 12:44
S5	4167	(file or server or storage) near4 access\$4 near4 (shar\$3 or simlutaneous\$2 or concurrent\$2 or contemporaneous\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 15:52
S6	368	S4 and S5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 12:45
S7	177	S6 and (@ad<"20001101" or @prad<"20001101" or @rlad<"20001101")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 13:11
S8	817	(file or storage) near4 access\$4 near4 (shar\$3 or simultaneous\$2 or concurrent\$2 or contemporaneous\$2) with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 13:03
S9	44	S8.ti.ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 12:52
S10	25	S9 and (@ad<"20001101" or @prad<"20001101" or @rlad<"20001101")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:38

S13	12	S10 and (simultaneous\$2 or concurrent\$2 or contemporaneous\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 13:04
S14	5401	(file or server or storage) near4 access\$4 near4 (shar\$3 or simultaneous\$2 or concurrent\$2 or contemporaneous\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 13:10
S15	306	S4 and S6 and lock\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 13:10
S16	139	S15 and (@ad<"20001101" or @prad<"20001101" or @rlad<"20001101")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:31
S17	635	709/207.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 15:01
S18	1677	(file or storage) near4 access\$4 near4 (simultaneous\$2 or concurrent\$2 or contemporaneous\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 15:52
S19	330	S18 same server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 15:52
S20	34169	(integrity or version or updat\$3) with file	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 15:53
S21	211	S19 and S20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 15:53
S22	30	S19 same S20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 15:53
S23	18	S22 and (@ad<"20001101" or @prad<"20001101" or @rlad<"20001101")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:00
S24	123	S21 and (@ad<"20001101" or @prad<"20001101" or @rlad<"20001101")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 15:54

S25	11330	version near2 number	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:00
S26	72	S18 and S25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:00
S27	58	S26 and (@ad<"20001101" or @prad<"20001101" or @rlad<"20001101")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:14
S28	36	S27 and lock	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:12
S30	594	group near3 (client or user) with access\$3 near5 (server or storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:12
S31	937	group near3 (client or user) with access\$3 near5 (server or storage or file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:12
S32	17	S31 same lock\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:13
S33	48	S31 same version	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:13
S34	191	S31 and lock\$3 and version	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:13
S35	154	S31 and lock and version	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:14
S36	50	S35 and S1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:14
S37	31	S36 and (@ad<"20001101" or @prad<"20001101" or @rlad<"20001101")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:32

S38	521	version adj control same file	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:31
S39	27	S38 same (delegat\$3 or third or proxy)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:31
S40	15	S39 and (@ad<"20001101" or @prad<"20001101" or @rlad<"20001101")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:35
S41	2	control\$4 near3 version near4 file same (distributed or shared) near3 (storage or server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:37
S42	452	(version near4 manage\$4 with file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:38
S43	11	S42 same (proxy or offload\$3 or third adj party)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:38
S44	6	S43 and (@ad<"20001101" or @prad<"20001101" or @rlad<"20001101")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 16:38